



LEGEND: PROJECT BOUNDARY — — — EX. PARCEL LINE ----- RIGHT-OF-WAY LINES — −900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD EX. DIRT APPROACH EX. FENCE — · · · — EX. STREAM CHANNEL \_\_\_\_\_\_ EX. WETLAND EX. TREE LINE ——— POH — EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK PROPOSED ACCESS ROAD PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE PROPOSED SUBSTATION AND O&M PROPOSED LAYDOWN YARD PROPOSED UNDERGROUND COLLECTION
PROPOSED SCREENING

P-POH — PROPOSED OVERHEAD TRANSMISSION

1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR PANEL INSTALLATION

PROPOSED LOW WATER CROSSING

2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE DISTURBANCE ACTIVITIES. 3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO

PROPOSED SILT FENCE

- CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA. 4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE
- SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED WITH SOLAR DEVELOPMENT.
- 6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT
- REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.

PROPOSED GRADING ESTIMATION: 230 AC




Westwood Professional Services, Inc.




8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437

•		
•		
•		
·		
•		



KEY MAP



#### Regal Solar **Project**

Benton County, Minnesota

Site Plan - 3

NOT FOR CONSTRUCTION

06/30/2020 DATE:

SHEET:





LEGEND: PROJECT BOUNDARY — — — EX. PARCEL LINE ----- RIGHT-OF-WAY LINES — −900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD EX. DIRT APPROACH EX. FENCE — · · · — EX. STREAM CHANNEL \_EX. WETLAND EX. TREE LINE ——— POH — EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK

PROPOSED ACCESS ROAD

PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE

PROPOSED SUBSTATION AND O&M

----- PROPOSED UNDERGROUND COLLECTION

PROPOSED LAYDOWN YARD

PROPOSED SCREENING PROPOSED LOW WATER CROSSING PROPOSED SILT FENCE

P-POH — PROPOSED OVERHEAD TRANSMISSION 1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR

- PANEL INSTALLATION 2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE DISTURBANCE ACTIVITIES.
- 3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA.
- 4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED
- 6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT
- REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.


PROPOSED GRADING ESTIMATION: 230 AC

WITH SOLAR DEVELOPMENT.






8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437



KEY MAP



# Regal Solar **Project**


Benton County, Minnesota

Site Plan - 4

NOT FOR CONSTRUCTION

06/30/2020 DATE:

SHEET:





LEGEND: PROJECT BOUNDARY — — — EX. PARCEL LINE ----- RIGHT-OF-WAY LINES — −900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD EX. DIRT APPROACH EX. FENCE — · · · — EX. STREAM CHANNEL \_\_\_\_\_\_ EX. WETLAND EX. TREE LINE ——— POH — EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK PROPOSED ACCESS ROAD PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE PROPOSED SUBSTATION AND O&M

PROPOSED SILT FENCE PROPOSED OVERHEAD TRANSMISSION

1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR PANEL INSTALLATION

PROPOSED LAYDOWN YARD

------ PROPOSED UNDERGROUND COLLECTION

PROPOSED SCREENING

PROPOSED LOW WATER CROSSING

2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE DISTURBANCE ACTIVITIES. 3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO

CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA. 4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE

SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED WITH SOLAR DEVELOPMENT.

6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT

REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.

PROPOSED GRADING ESTIMATION: 230 AC



 (952) 937-5150
 12701 Whitewater Drive, Suite #300


 (952) 937-5822
 Minnetonka, MN 55343

 (888) 937-5150
 westwoodps.com


Westwood Professional Services, Inc.



8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437



KEY MAP



### Regal Solar **Project**

Benton County, Minnesota

Site Plan - 5

NOT FOR CONSTRUCTION

06/30/2020 DATE:

SHEET:





LEGEND: PROJECT BOUNDARY — — — EX. PARCEL LINE ----- RIGHT-OF-WAY LINES — − 900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD □ □ □ □ □ □ □ EX. DIRT APPROACH ----- X ----- EX. FENCE — · · · — EX. STREAM CHANNEL \_EX. WETLAND EX. TREE LINE ——— POH — EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK PROPOSED ACCESS ROAD PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE

PROPOSED UNDERGROUND COLLECTION PROPOSED SCREENING

PROPOSED SUBSTATION AND O&M

PROPOSED LOW WATER CROSSING PROPOSED SILT FENCE P-POH — PROPOSED OVERHEAD TRANSMISSION

PROPOSED LAYDOWN YARD

- 1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR PANEL INSTALLATION
- 2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE DISTURBANCE ACTIVITIES. 3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO
- CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA. 4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE
- SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED WITH SOLAR DEVELOPMENT.
- 6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT
- REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.


PROPOSED GRADING ESTIMATION: 230 AC




(952) 937-5150 12701 Whitewater Drive, Suite #300 (952) 937-5822 Minnetonka, MN 55343 westwoodps.com Westwood Professional Services, Inc.



8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437



KEY MAP



#### Regal Solar **Project**


Benton County, Minnesota

Site Plan - 6

NOT FOR CONSTRUCTION

06/30/2020 DATE:

C.206 SHEET:





PROJECT BOUNDARY — — — EX. PARCEL LINE ----- RIGHT-OF-WAY LINES — −900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD EX. DIRT APPROACH EX. FENCE — · · · — EX. STREAM CHANNEL \_EX. WETLAND EX. TREE LINE ——— POH — EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK PROPOSED ACCESS ROAD PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE PROPOSED SUBSTATION AND O&M PROPOSED LAYDOWN YARD ------ PROPOSED UNDERGROUND COLLECTION PROPOSED SCREENING PROPOSED LOW WATER CROSSING PROPOSED SILT FENCE

P-POH — PROPOSED OVERHEAD TRANSMISSION

1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR PANEL INSTALLATION

- 2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE DISTURBANCE ACTIVITIES. 3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO
- CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA. 4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE
- SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED WITH SOLAR DEVELOPMENT.
- 6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT
- REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.

PROPOSED GRADING ESTIMATION: 230 AC




Westwood Professional Services, Inc.




8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437

INLVISIONS.			
•			
•			



KEY MAP



# Regal Solar **Project**


Benton County, Minnesota

Site Plan - 7

NOT FOR CONSTRUCTION

06/30/2020 DATE:

C.207 SHEET:





LEGEND: PROJECT BOUNDARY — — — EX. PARCEL LINE ----- RIGHT-OF-WAY LINES — −900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD ± = = = EX. DIRT APPROACH EX. FENCE — · · · — EX. STREAM CHANNEL \_EX. WETLAND EX. TREE LINE ——— POH — EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK PROPOSED ACCESS ROAD PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE PROPOSED SUBSTATION AND O&M PROPOSED LAYDOWN YARD ------ PROPOSED UNDERGROUND COLLECTION PROPOSED SCREENING PROPOSED LOW WATER CROSSING PROPOSED SILT FENCE PROPOSED OVERHEAD TRANSMISSION 1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR PANEL INSTALLATION 2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION

- AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE DISTURBANCE ACTIVITIES.
- 3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA.
- 4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED
- 6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT
- REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.

PROPOSED GRADING ESTIMATION: 230 AC


WITH SOLAR DEVELOPMENT.




Westwood Professional Services, Inc.



8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437



KEY MAP



#### Regal Solar **Project**


Benton County, Minnesota

Site Plan - 8

NOT FOR CONSTRUCTION

06/30/2020

C.208 SHEET:



LEGEND: PROJECT BOUNDARY — — — EX. PARCEL LINE ----- RIGHT-OF-WAY LINES — −900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD ± = = = EX. DIRT APPROACH EX. FENCE — · · · — EX. STREAM CHANNEL \_EX. WETLAND EX. TREE LINE ——— POH — EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK PROPOSED ACCESS ROAD PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE PROPOSED SUBSTATION AND O&M PROPOSED LAYDOWN YARD ----- PROPOSED UNDERGROUND COLLECTION PROPOSED SCREENING PROPOSED LOW WATER CROSSING PROPOSED SILT FENCE P-POH — PROPOSED OVERHEAD TRANSMISSION 1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR

PANEL INSTALLATION

- 2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE DISTURBANCE ACTIVITIES.
- 3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA.
- 4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED WITH SOLAR DEVELOPMENT.
- 6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT
- REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.

PROPOSED GRADING ESTIMATION: 230 AC



 (952) 937-5150
 12701 Whitewater Drive, Suite #300


 (952) 937-5822
 Minnetonka, MN 55343

 (888) 937-5150
 westwoodps.com


 Westwood Professional Services, Inc.



8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437



KEY MAP



# Regal Solar **Project**

Benton County, Minnesota

Site Plan - 9

NOT FOR CONSTRUCTION

06/30/2020 DATE:

SHEET:





LEGEND: PROJECT BOUNDARY — — — EX. PARCEL LINE ----- RIGHT-OF-WAY LINES — −900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD EX. DIRT APPROACH EX. FENCE — · · · — EX. STREAM CHANNEL \_EX. WETLAND EX. TREE LINE ——— POH ——— EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK PROPOSED ACCESS ROAD PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE PROPOSED SUBSTATION AND O&M

PROPOSED LAYDOWN YARD PROPOSED UNDERGROUND COLLECTION PROPOSED SCREENING

PANEL INSTALLATION

PROPOSED LOW WATER CROSSING PROPOSED SILT FENCE

PROPOSED OVERHEAD TRANSMISSION 1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR

2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE DISTURBANCE ACTIVITIES.

3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA.

4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED WITH SOLAR DEVELOPMENT.

6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT

REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.

PROPOSED GRADING ESTIMATION: 230 AC



 (952) 937-5150
 12701 Whitewater Drive, Suite #300


 (952) 937-5822
 Minnetonka, MN 55343

 (888) 937-5150
 westwoodps.com


Westwood Professional Services, Inc.



8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437



KEY MAP



# Regal Solar **Project**


Benton County, Minnesota

Site Plan - 10

NOT FOR CONSTRUCTION

06/30/2020

C.210 SHEET:





LEGEND: PROJECT BOUNDARY — — — EX. PARCEL LINE ----- RIGHT-OF-WAY LINES — −900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD EX. DIRT APPROACH EX. FENCE — · · · — EX. STREAM CHANNEL \_EX. WETLAND EX. TREE LINE ——— POH ——— EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK PROPOSED ACCESS ROAD PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE PROPOSED SUBSTATION AND O&M PROPOSED LAYDOWN YARD PROPOSED UNDERGROUND COLLECTION PROPOSED SCREENING PROPOSED LOW WATER CROSSING

P-POH — PROPOSED OVERHEAD TRANSMISSION

1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR PANEL INSTALLATION

2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE DISTURBANCE ACTIVITIES.

PROPOSED SILT FENCE

- 3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA.
- 4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED
- 6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT
- REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.

PROPOSED GRADING ESTIMATION: 230 AC

WITH SOLAR DEVELOPMENT.



 (952) 937-5150
 12701 Whitewater Drive, Suite #300

 (952) 937-5822
 Minnetonka, MN 55343


 (888) 937-5150
 westwoodps.com

 Westwood Professional Services, Inc.




8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437

SIONS:		



KEY MAP



# Regal Solar **Project**

Benton County, Minnesota

Site Plan - 11

NOT FOR CONSTRUCTION

06/30/2020

SHEET:





LEGEND: PROJECT BOUNDARY — — — EX. PARCEL LINE ----- RIGHT-OF-WAY LINES — −900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD □ □ □ □ □ □ □ EX. DIRT APPROACH EX. FENCE — · · · — EX. STREAM CHANNEL \_\_\_\_\_\_ EX. WETLAND EX. TREE LINE ——— POH ——— EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK PROPOSED ACCESS ROAD PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE PROPOSED SUBSTATION AND O&M PROPOSED LAYDOWN YARD PROPOSED UNDERGROUND COLLECTION PROPOSED SCREENING

P-POH P-POH PROPOSED OVERHEAD TRANSMISSION

1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR PANEL INSTALLATION

PROPOSED LOW WATER CROSSING

2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE DISTURBANCE ACTIVITIES.

PROPOSED SILT FENCE

- 3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA.
- 4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED
- 6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT
- REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.

PROPOSED GRADING ESTIMATION: 230 AC


WITH SOLAR DEVELOPMENT.






8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437

EVISIONS.		



KEY MAP



# Regal Solar **Project**

Benton County, Minnesota

Site Plan - 12

NOT FOR CONSTRUCTION

06/30/2020

SHEET:





LEGEND: PROJECT BOUNDARY — — — EX. PARCEL LINE ----- RIGHT-OF-WAY LINES — −900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD ± = = = EX. DIRT APPROACH EX. FENCE — · · · — EX. STREAM CHANNEL \_EX. WETLAND EX. TREE LINE ——— POH — EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK

PROPOSED ACCESS ROAD PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE

PROPOSED SUBSTATION AND O&M PROPOSED LAYDOWN YARD

PROPOSED UNDERGROUND COLLECTION
PROPOSED SCREENING PROPOSED LOW WATER CROSSING PROPOSED SILT FENCE P-POH P-POH PROPOSED OVERHEAD TRANSMISSION

1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR

PANEL INSTALLATION

- 2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE DISTURBANCE ACTIVITIES.
- 3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA.
- 4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED
- 6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT
- REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.


PROPOSED GRADING ESTIMATION: 230 AC

WITH SOLAR DEVELOPMENT.






8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437



KEY MAP



# Regal Solar **Project**


Benton County, Minnesota

Site Plan - 13

NOT FOR CONSTRUCTION

06/30/2020

SHEET:



LEGEND: PROJECT BOUNDARY — — — EX. PARCEL LINE ----- RIGHT-OF-WAY LINES — −900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD EX. DIRT APPROACH EX. FENCE — · · · — EX. STREAM CHANNEL \_EX. WETLAND EX. TREE LINE ——— POH — EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK PROPOSED ACCESS ROAD PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE PROPOSED SUBSTATION AND O&M PROPOSED LAYDOWN YARD PROPOSED UNDERGROUND COLLECTION PROPOSED SCREENING PROPOSED LOW WATER CROSSING PROPOSED SILT FENCE P-POH — PROPOSED OVERHEAD TRANSMISSION 1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR PANEL INSTALLATION

- 2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE DISTURBANCE ACTIVITIES.
- 3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA.
- 4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED
- 6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT
- REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.

PROPOSED GRADING ESTIMATION: 230 AC

WITH SOLAR DEVELOPMENT.




(952) 937-5150 12701 Whitewater Drive, Suite #300 (952) 937-5822 Minnetonka, MN 55343 westwoodps.com Westwood Professional Services, Inc.




8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437

LVISIONS.			



KEY MAP



# Regal Solar **Project**

Benton County, Minnesota

Site Plan - 14

NOT FOR CONSTRUCTION

06/30/2020 DATE:

C.214 SHEET:



#### LEGEND:

PROJECT BOUNDARY — — — EX. PARCEL LINE ----- RIGHT-OF-WAY LINES — − 900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD EX. DIRT APPROACH EX. FENCE — · · · — EX. STREAM CHANNEL \_\_\_\_\_\_ EX. WETLAND EX. TREE LINE ——— POH — EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK PROPOSED ACCESS ROAD PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE PROPOSED SUBSTATION AND O&M PROPOSED LAYDOWN YARD PROPOSED UNDERGROUND COLLECTION PROPOSED SCREENING PROPOSED LOW WATER CROSSING PROPOSED SILT FENCE P-POH P-POH PROPOSED OVERHEAD TRANSMISSION

1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR PANEL INSTALLATION

- 2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE DISTURBANCE ACTIVITIES.
- 3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA. 4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE
- SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED WITH SOLAR DEVELOPMENT.
- 6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT
- REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.

PROPOSED GRADING ESTIMATION: 230 AC




(952) 937-5150 12701 Whitewater Drive, Suite #300 (952) 937-5822 Minnetonka, MN 55343 westwoodps.com


Westwood Professional Services, Inc.



8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437



KEY MAP



# Regal Solar **Project**

Benton County, Minnesota

Site Plan - 15

NOT FOR CONSTRUCTION

06/30/2020 DATE:

C.215 SHEET:





LEGEND: PROJECT BOUNDARY — — — EX. PARCEL LINE RIGHT-OF-WAY LINES — −900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD ± = = = EX. DIRT APPROACH EX. FENCE — · · · — EX. STREAM CHANNEL \_EX. WETLAND EX. TREE LINE ——— POH — EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK PROPOSED ACCESS ROAD PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE PROPOSED SUBSTATION AND O&M PROPOSED LAYDOWN YARD PROPOSED UNDERGROUND COLLECTION
PROPOSED SCREENING PROPOSED LOW WATER CROSSING PROPOSED SILT FENCE PROPOSED OVERHEAD TRANSMISSION 1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR PANEL INSTALLATION 2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE

- DISTURBANCE ACTIVITIES. 3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO
- CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA. 4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE
- SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED WITH SOLAR DEVELOPMENT.
- 6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT
- REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.

PROPOSED GRADING ESTIMATION: 230 AC



 (952) 937-5150
 12701 Whitewater Drive, Suite #300


 (952) 937-5822
 Minnetonka, MN 55343

 (888) 937-5150
 westwoodps.com


Westwood Professional Services, Inc.



8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437



KEY MAP



# Regal Solar **Project**

Benton County, Minnesota

Site Plan - 16

NOT FOR CONSTRUCTION

06/30/2020

C.216 SHEET:





LEGEND: PROJECT BOUNDARY — — — EX. PARCEL LINE ----- RIGHT-OF-WAY LINES — − 900 — EX. INDEX CONTOUR EX. INTERVAL CONTOUR EX. PAVED ROAD EX. GRAVEL ROAD EX. DIRT APPROACH EX. FENCE — · · · — EX. STREAM CHANNEL \_EX. WETLAND EX. TREE LINE ——— POH — EX. OVERHEAD POWER EX. STRUCTURE — 900 — PROPOSED INDEX CONTOUR PROPOSED INTERVAL CONTOUR PROPOSED SOLAR ARRAY PROPOSED MODULE SETBACK PROPOSED ACCESS ROAD PROPOSED ELECTRICAL EQUIPMENT PROPOSED SECURITY FENCE PROPOSED SUBSTATION AND O&M PROPOSED LAYDOWN YARD ----- PROPOSED UNDERGROUND COLLECTION PROPOSED SCREENING PROPOSED LOW WATER CROSSING PROPOSED SILT FENCE

P-POH P-POH PROPOSED OVERHEAD TRANSMISSION

1. MINOR SURFACE SMOOTHING MAY OCCUR FOR SOLAR PANEL INSTALLATION

- 2. CONTRACTOR SHALL INSTALL ALL PERIMETER EROSION AND SEDIMENT CONTROL DEVICES PRIOR TO UPSLOPE DISTURBANCE ACTIVITIES. 3. SITE PREPARATION INCLUDES BUT IS NOT LIMITED TO
- CLEARING/GRUBBING, MINOR GRADING, COMPACTION, MOWING OF VEGETATION, AND RESTABILIZATION OF DISTURBED AREA. 4. ACCESS ROADS WILL BE CONSTRUCTED TO MATCH THE
- SURROUNDING EXISTING GROUND ELEVATIONS TO ALLOW THE CONTINUATION OF DRAINAGE PATTERNS. 5. OVERALL DRAINAGE PATTERNS WILL NOT BE ALTERED WITH SOLAR DEVELOPMENT.
- 6. A SITE SPECIFIC SWPPP AND SPECIFIC BEST MANAGEMENT PRACTICES WILL BE PROVIDED WITH THE FINAL DESIGN. 7. EXISTING GROUND DEPRESSIONS ARE INTENDED TO BE USED FOR PERMANENT STORMWATER TREATMENT
- REQUIREMENTS PER MNPCA RULES AND REGULATIONS. 8. ALL TREES LOCATED WITHIN THE PROJECT AREA WILL REMAIN AND WILL BE USED FOR SCREENING.

PROPOSED GRADING ESTIMATION: 230 AC



 (952) 937-5150
 12701 Whitewater Drive, Suite #300


 (952) 937-5822
 Minnetonka, MN 55343

 (888) 937-5150
 westwoodps.com


Westwood Professional Services, Inc.



8400 Normandale Lake Boulevard, Suite 1200 Bloomington, MN 55437



KEY MAP



#### Regal Solar **Project**

Benton County, Minnesota

Site Plan - 17

NOT FOR CONSTRUCTION

06/30/2020

C.217 SHEET: